Technical data sheet Junction box T 250, closed

Item number: 2007287





Junction box for the connection of cables and lines indoors and in protected outdoor areas. Rectangular design without entries. Suitable for wall and ceiling mounting, on mounting panels and threads in the floor. With the option to fasten inside and to mount via the corner domes. Cover with quick lock, sealable. Made from halogen-free and UV-resistant materials.

Junction box according to DIN EN 60670. Flame-resistant to DIN EN 60695/2/11, test temperature 650 °C. Impact resistance IK05 according to DIN EN 50102.



















Polypropylene, fibreglass reinforced

Master data


Item number	2007287	
Туре	T 250 OE	
Description 1	Junction box	
Description 2	without insertion opening	
Manufacturer	OBO	
Dimension	240x190x95	
Colour	Light grey; RAL 7035	
Material	Polypropylene, fibreglass reinforced	
Smallest sales unit	1	
Unit of quantity	Piece	
Weight	48.3 kg	
Weight unit	kg/100 pc.	
CO2 Footprint (GWP) Cradle-to- Gate	1,8041 kg CO2e / 1 Piece	

Technical data sheet Junction box T 250, closed





Dimensions			
95	Length	240 mm	
	Width	190 mm	
	Height	95 mm	
		·	



Technical data

Expandable	yes		
Type of entry	None		
Type of entry	Cable		
Type of housing penetration	Without		
Measured insulation voltage Vi	500 V		
Equipment	Without		
Cover	Not transparent		
Cover fastening	Screwed		
Entry from rear	yes		
Entries	None		
Explosion-tested version	no		
Flame-resistant	Acc. to VDE 0471/DIN 695 Part 2-1, test temperature 750°C		
Shape	Rectangular		
Maintain electrical functions	Without		
For Ex zone	Without		
For Ex zone gas	Without		
For Ex zone dust	Without		
Fibre-glass reinforced	yes		
Halogen-free	yes		
Clear internal dimensions	225x173x86 mm		
With screening	no		
with lid	yes		
Mounting type	Wall/ceiling mounting		
Nominal cross-section, min.	25 mm²		
Nominal voltage	500 V		
Sealable	yes		
Protection rating	IP66		
Protection rating IK code	IK05.		
Permitted temperature range, max.	60 °C		
Permitted temperature range, min.	-5 °C		

Technical data sheet Junction box T 250, closed





Technical data		
	Transparent lid	no
	Weatherproof	no