## **Technical data sheet**

## Junction box T 60, plug-in seal

Item number: 2007466





Junction box for the connection of cables and lines indoors and in protected outdoor areas. Square design with plug-in seals to the sides and knock-out entries in the bottom. Suitable for wall and ceiling mounting and on mounting panels. With the option to fasten inside and to mount via the corner domes. Cover with quick lock, sealable. Made from halogen-free and UV-resistant materials.

Junction box according to DIN EN 60670. Flame-resistant to DIN EN 60695/2/11, test temperature 650 °C. Impact resistance IK07 according to DIN EN 50102.





















Polypropylene

#### Master data

Item number	2007466
Туре	T 60 SW
Description 1	Junction box
Description 2	with entries
Manufacturer	OBO
Dimension	114x114x57
Colour	Graphite black; RAL 9011
Material	Polypropylene
Smallest sales unit	5
Unit of quantity	Piece
Weight	12.3 kg
Weight unit	kg/100 pc.
CO2 Footprint (GWP) Cradle-to- Gate	0,539 kg CO2e / 1 Piece

## **Technical data sheet**

# Junction box T 60, plug-in seal


**Item number: 2007466** 



### Dimensions



Length	114 mm
Width	114 mm
Height	57 mm
Width	114 mm



#### **Technical data**

E 111		
Expandable	yes	
No. of entries	7	
Type of entry	Plug-in seal	
Type of entry	Cable	
Type of housing penetration	Cuttable stepped membrane	
Measured insulation voltage Vi	500 V	
Cover	Not transparent	
Cover fastening	Screwed	
Entry from rear	yes	
Entries	7 x M25	
Explosion-tested version	no	
Flame-resistant	acc. to VDE 0471/DIN 695 Part 2-1, test temperature 650°C	
Shape	Square	
Maintain electrical functions	Without	
For Ex zone	Without	
For Ex zone gas	Without	
For Ex zone dust	Without	
Fibre-glass reinforced	no	
Halogen-free	yes	
Clear internal dimensions	100x100x48 mm	
With screening	no	
with lid	yes	
Mounting type	Wall/ceiling mounting	
Nominal cross-section, min.	6 mm²	
Nominal voltage	500 V	
Sealable	yes	
Protection rating	IP66	
Protection rating IK code	IK07.	
Permitted temperature range, max.	60 °C	
Permitted temperature range, min.	-5 °C	

# Technical data sheet Junction box T 60, plug-in seal



**Item number: 2007466** 

Technical data		
	Transparent lid	no
	Weatherproof	no